

SR2835

LED Flexible Strip Regular Hot Sell Series




FEATURES:

- Regular Hot Sell Flexible LED Strip
- High CRI >90, SMD 2835 LED
- High luminous efficiency, up to 100lm/W
- High color consistency, SDCM<5, optional for SDCM<3
- Beam Angle 120°
- Durable 2oz Rolled Copper FPC
- 5-meter roll electrostatic bag package
- 50,000H @L70 long lifetime



DIMENSION



ORDERING GUIDE Example: SR2835-6024-0508-924

PART #	# OF LEDS & INPUT	POWER & PCB WIDTH	CRI & CCT (K)
SR2835			
	60: 60 LEDs/m 24: 24Vdc	05: 4.8W/m 8: 8mm (1.46W/ft)	9: 90 24: 2400K/ 27: 2700K/ 30: 3000K/ 40: 4000K/ 50: 5000K/ 60: 6000K

SR2835

LED Flexible Strip Regular Hot Sell Series




FEATURES:

- Regular Hot Sell Flexible LED Strip
- High CRI >90, SMD 2835 LED
- High luminous efficiency, up to 100lm/W
- High color consistency, SDCM<5, optional for SDCM<3
- Beam Angle 120°
- Durable 2oz Rolled Copper FPC
- 5-meter roll electrostatic bag package
- 50,000H @L70 long lifetime



DIMENSION




ORDERING GUIDE Example: SR2835-12024-1008-924

PART #	# OF LEDS & INPUT	POWER & PCB WIDTH	CRI & CCT (K)
SR2835			
	120: 120 LEDs/m 24: 24Vdc	10: 9.6W/m 8: 8mm (2.93W/ft)	9: 90 24: 2400K/ 27: 2700K/ 30: 3000K/ 40: 4000K/ 50: 5000K/ 60: 6000K

SR2835

LED Flexible Strip Regular Hot Sell Series




FEATURES:

- Regular High Density Flexible LED Strip
- High CRI >90, SMD 2835 LED
- High luminous efficiency, up to 100lm/W
- High color consistency, SDCM<5, optional for SDCM<3
- Beam Angle 120°
- Durable 3oz Rolled Copper FPC
- 5-meter roll electrostatic bag package
- 50,000H @L70 long lifetime



DIMENSION



ORDERING GUIDE Example: SR2835-24024-1910-924

PART #	# OF LEDS & INPUT	POWER & PCB WIDTH	CRI & CCT (K)
SR2835			
	240: 240 LEDs/m 24: 24Vdc	19: 19.2W/m 10: 10mm (5.85W/ft)	9: 90 24: 2400K/ 27: 2700K/ 30: 3000K/ 40: 4000K/ 50: 5000K/ 60: 6000K

SD2835

LED Flexible Strip Double Row High Brightness




FEATURES:

- Double Row High Brightness Flexible LED Strip
- High CRI >90, SMD 2835 LED
- High luminous efficiency, up to 100lm/W
- High color consistency, SDCM<5, optional for SDCM<3
- Beam Angle 120°
- Durable 3oz Rolled Copper FPC
- 5-meter roll electrostatic bag package
- 50,000H @L70 long lifetime



DIMENSION



ORDERING GUIDE Example: SD2835-24024-1915-927

PART #	# OF LEDS & INPUT	POWER & PCB WIDTH	CRI & CCT (K)
SD2835			
	240: 240 LEDs/m 24: 24Vdc	19: 19.2W/m 15: 15mm (5.85W/ft)	9: 90 27: 2700K/ 30: 3000K/ 40: 4000K/ 50: 5000K/ 60: 6000K

SH2835


LED Flexible Strip High Efficient Series

FEATURES:

- High Efficient Flexible LED Strip
- 8LEDs/section high efficiency, up to **165lm/W**
- High CRI >90, SMD 2835 LED
- High color consistency, SDCM<5, optional for SDCM<3
- Beam Angle 120°
- Durable 2oz Rolled Copper FPC
- IP65 OR IP67 waterproof version available
- 5-meter roll electrostatic bag package
- 50,000H @L70 long lifetime



DIMENSION



ORDERING GUIDE Example: SH2835-6424-0508-927

PART #	# OF LEDS & INPUT	POWER & PCB WIDTH	CRI & CCT (K)
SH2835			
	64: 64 LEDs/m 24: 24Vdc	05: 4.8W/m 8: 8mm (1.46W/ft)	9 : 90 27: 2700K/ 30: 3000K/ 40: 4000K/ 50: 5000K/ 60: 6000K

SH2835


LED Flexible Strip High Efficient Series

FEATURES:

- High Efficient Flexible LED Strip
- 8LEDs/section high efficiency, up to **165lm/W**
- High CRI >90, SMD 2835 LED
- High color consistency, SDCM<5, optional for SDCM<3
- Beam Angle 120°
- Durable 2oz Rolled Copper FPC
- 5-meter roll electrostatic bag package
- 50,000H @L70 long lifetime



DIMENSION



ORDERING GUIDE Example: SH2835-8024-1008-927

PART #	# OF LEDS & INPUT	POWER & PCB WIDTH	CRI & CCT (K)
SH2835			
	80: 80 LEDs/m 24: 24Vdc	10: 9.6W/m 8: 8mm (2.93W/ft)	9 : 90 27: 2700K/ 30: 3000K/ 40: 4000K/ 50: 5000K/ 60: 6000K

SC2835


LED Flexible Strip High Efficient Series

FEATURES:

- Current Control High Density Flexible LED Strip
- High CRI >90, SMD 2835 LED
- High luminous efficiency, up to **165lm/W**
- High color consistency, SDCM<5, optional for SDCM<3
- Beam Angle 120°
- Durable 2oz Rolled Copper FPC
- 5-meter roll electrostatic bag package
- 50,000H @L70 long lifetime



DIMENSION



ORDERING GUIDE Example: SH2835-9024-1410-927

PART #	# OF LEDS & INPUT	POWER & PCB WIDTH	CRI & CCT (K)
SH2835			
	128: 128 LEDs/m 24: 24Vdc	14: 14.4W/m 10: 10mm (1.46W/ft)	9: 90 27: 2700K/ 30: 3000K/ 40: 4000K/ 50: 5000K/ 60: 6000K

SH2835


LED Flexible Strip High Efficient Series

FEATURES:

- Current Control High Density Flexible LED Strip
- High CRI >90, SMD 2835 LED
- High luminous efficiency, up to **165lm/W**
- High color consistency, SDCM<5, optional for SDCM<3
- Beam Angle 120°
- Durable 2oz Rolled Copper FPC
- 5-meter roll electrostatic bag package
- 50,000H @L70 long lifetime



DIMENSION



ORDERING GUIDE Example: SH2835-16024-1910-927


PART #	# OF LEDS & INPUT	POWER & PCB WIDTH	CRI & CCT (K)
SH2835			
	160: 160 LEDs/m 24: 24Vdc	19: 19.2W/m 10: 10mm (5.85W/ft)	9: 90 27: 2700K/ 30: 3000K/ 40: 4000K/ 50: 5000K/ 60: 6000K

FEATURES:

- RGBW Multi-color Flexible LED Strip
- 4-in-1 SMD 5050 LED
- High luminous efficiency, up to 100lm/W
- High color consistency
- Beam Angle 120°
- Durable 3oZ Rolled Copper FPC
- 5-meter roll electrostatic bag package
- 50,000H @L70 long lifetime



DIMENSION



ORDERING GUIDE Example: SRGBW-6024-1912


PART #	# OF LEDS & INPUT	POWER & PCB WIDTH	Multi-colors Wavelength (nm)/CCT (K)
SRGBW			
	60: 60 LEDs/m 24: 24Vdc	19: 19.2W/m 12: 12mm (5.85W/ft)	RGBW : R 615~625nm & G 520~530nm & B 460~470nm & W 2400K/2700K/3000K/4000K/5000K/6000K optional

FEATURES:

- RGBWW Multi-color Flexible LED Strip
- 5-in-1 SMD5050 LED
- High color consistency
- Beam Angle 120°
- Durable 3oZ Rolled Copper FPC
- 5-meter roll electrostatic bag package
- 50,000H @L70 long lifetime



DIMENSION



ORDERING GUIDE Example: SRGBWW-6024-2412

PART #	# OF LEDS & INPUT	POWER & PCB WIDTH	Multi-colors Wavelength (nm)/CCT (K)
SRGBWW			
	60: 60 LEDs/m 24: 24Vdc	24: 24W/m 12: 12mm (7.32W/ft)	RGBWW : R 615~625nm & G 520~530nm & B 460~470nm & WW 2400K & 6000K